



E7 Campus

North America

Worldwide

E7-Campus-US



Datasheet

In The Box

Marketing Images

Accessories

Installation Guide



Overview

Dimensions

Device: 250 x 250 x 45.5 mm (9.8 x 9.8 x 1.8")

Articulating mount: Ø104 x 149.4 (Ø4.1 x 5.9")

WiFi Standard

WiFi 7

Spatial Streams

10

Coverage Area

465 m² (5,000 ft²)



Max. Client Count

1000+

Uplink

10 GbE
1 GbE

Mounting

Wall, Pole (Mounts Included)
VESA (Optional)

Weatherproofing

IPX6
IP67 with Waterproof Door Kit (Included)

Power Method

PoE++

^ Performance

MIMO


| | |
|---------|-----------------------|
| 6 GHz | 4 x 4 (DL/UL MU-MIMO) |
| 5 GHz | 4 x 4 (DL/UL MU-MIMO) |
| 2.4 GHz | 2 x 2 (DL/UL MU-MIMO) |

Max. Data Rate

| | |
|---------|-------------------|
| 6 GHz | 11.5 Gbps (BW320) |
| 5 GHz | 8.6 Gbps (BW240) |
| 2.4 GHz | 688 Mbps (BW40) |

Antenna Gain

| | |
|---------|--|
| 6 GHz | Directional internal: 12 dBi, 90° x 50° |
| 5 GHz | Directional internal: 12 dBi, 100° x 55° |
| 2.4 GHz | Directional internal: 9 dBi, 90° x 80° |



Max. TX Power

| | |
|---------|-------------------------|
| 6 GHz | 30 dBm (36 dBm EIRP) |
| 5 GHz | 30 dBm |
| 2.4 GHz | 23 dBm |

Max. BSSIDs

8 per Radio

Supported Data Rates

| | |
|-------------------|---|
| 802.11be (WiFi 7) | 7.3 Mbps to 11.4 Gbps (MCS0 - MCS13 NSS1/2/3/4, EHT 20/40/80/160/240/320) |
| 802.11ax (WiFi 6) | 7.3 Mbps to 4.8 Gbps (MCS0 - MCS11 NSS1/2/3/4, HE 20/40/80/160) |
| 802.11ac (WiFi 5) | 6.5 Mbps to 3.4 Gbps (MCS0 - MCS9 NSS1/2/3/4, VHT 20/40/80/160) |
| 802.11n | 6.5 Mbps to 600 Mbps (MCS0 - MCS31, HT 20/40) |

^ Features

| | |
|---|---|
| Wireless Meshing | ✓ |
| Band Steering | ✓ |
| 802.11v BSS Transition Management | ✓ |
| 802.11r Fast Roaming | ✓ |
| 802.11k Radio Resource Management (RRM) | ✓ |

| | |
|--------------------------------|---|
| Zero-Wait DFS | ✓ |
| Advanced Radio Management | ✓ |
| Real-Time Spectral Analysis ● | ✓ |
| Passpoint (Hotspot 2.0) | ✓ |
| Captive Hotspot Portal | |
| Custom Branding Landing Page | ✓ |
| Voucher Authentication | ✓ |
| Payment-Based Authentication | ✓ |
| External Portal Server Support | ✓ |
| Password Authentication | ✓ |
| Guest Network Isolation | ✓ |
| Private Pre-Shared Key (PPSK) | ✓ |
| WiFi Speed Limiting | ✓ |
| Client Device Isolation | ✓ |
| WiFi Schedules | ✓ |
| RADIUS over TLS (RadSec) | ✓ |
| Dynamic RADIUS-assigned VLAN | ✓ |

^ **Hardware**

Max. Power Consumption 44W

| | |
|-------------------------|---|
| Supported Voltage Range | 42.5–57V DC |
| Networking Interface | (1) 10 GbE RJ45 port (1) GbE RJ45 port |
| PRISM™ RF Filtering | ✓ |
| Weight | Device: 2.2 kg (4.9 lb) With articulating mount: 3.1 kg (6.8 lb) |
| Wind Loading | 164.75 N at 200 km/h (37 lbf at 125 mph) |
| Pole Mount Diameter | 1–2.5" (25–63.5 mm) |
| Antennas | (1) Internal with directional patterns |
| Antenna beamwidth | |
| └ 6 GHz | 90° x 50° ● |
| └ 5 GHz | 100° x 55° |
| └ 2.4 GHz | 90° x 80° |
| Management | Ethernet |
| Enclosure Material | UV-stabilized polycarbonate, aluminum alloy |
| Mount Material | Stainless steel, aluminum alloy |
| LEDs | |
| └ System | R/G/B |
| | US/CA: 2400 - 2472 MHz U-NII-1: 5150 - 5250 MHz |

Operating Frequency

U-NII-2A: 5250 - 5350 MHz
U-NII-2C: 5470 - 5725 MHz
U-NII-3: 5725 - 5850 MHz
U-NII-5 and U-NII-7: 5925 - 6425 MHz, 6525 - 6875 MHz

Worldwide:
2400 - 2483.5 MHz
5150 - 5850 MHz
5925 - 7125 MHz

Ambient Operating Temperature

-30 to 60° C (-22 to 140° F)

Ambient Operating Humidity

5 to 95% noncondensing

NDAA Compliant

✓

Certifications

FCC, IC

^ **Software**

Application Requirements

| | |
|---------------|--|
| UniFi Network | Version 9.0.114 and later |
| Mobile App | iOS™ version 10.20.0 and later Android™ version 10.21.3 and later |

Company

[Blog](#)

Training

[Courses](#)

Buy Now

[Ubiquiti Store](#)

Tools

[WiFiman](#)

[Case Studies](#)

[Careers](#)

[Trust Center](#)

[Contact Us](#)

[Investors](#)

[Compliance](#)

[Calendar](#)

[Trainers](#)

[Become a Trainer](#)

[Find a Distributor](#)

[UISP](#)

[UniFi Design Center](#)

[UISP Design Center](#)

[Downloads](#)

Stay in Touch

Subscribe



[Terms of Service](#) | [Privacy Policy](#) | [Legal](#) | [Cookies Settings](#)

© 2026 Ubiquiti, Inc. All rights reserved.