



my point of view



LEICA MONOVID 8x20

Anleitung

Instructions

Notice d'utilisation

Gebruiksaanwijzing

Istruzioni

Instrucciones

取扱説明書

Leica Camera AG | Oskar-Barnack-Straße 11 | 35606 SOLMS | DEUTSCHLAND

Telefon +49 (0) 6442-208-0 | Telefax +49 (0) 6442-208-333 | [www.leica-camera.com](http://www.leica-camera.com)

93 304 VI/09/DX/B

# CONTENTS

Foreword .....	6
Items supplied .....	6
Designation of parts .....	6
Attaching the carrying strap and the eyepiece protective cap .....	8
Adjusting the eye cups/ Using with and without glasses .....	8
Adjusting the focus .....	8
Using the close up lens .....	8
Care/cleaning .....	9
Spare parts .....	9
Technical data .....	10
Leica on the Internet and Leica Academy .....	11
Leica Information Service .....	11
Leica Customer Care .....	11

## WARNING INFORMATION

- Never look at the sun or other bright light sources through the monocular. This can cause injury to the eye.
- Never look through the monocular while walking. You could miss obstructions.

## **ATTACHING THE CARRYING STRAP AND THE EYEPiece PROTECTIVE CAP**

(See also Figure 1a/1b on the inside rear cover)

Note that the carrying strap has two loops:

- a shorter loop for attaching to the eyelet on the monocular
- a longer loop for attaching the eyepiece protective cap

## **ADJUSTING THE EYE CUP/ USING WITH AND WITHOUT GLASSES**

The eyepiece eye cup (1) is adjustable. It should be extended (1a) for viewing without and retracted for viewing with glasses (1b).

## **ADJUSTING THE FOCUS**

The focus is adjusted for objects at different distances using the focusing ring (3).

## **USING THE CLOSE UP LENS**

The LEICA MONOVID 8x20 can also be used to provide a magnified view of objects that are at close range.

To do this, the close up lens (5) supplied is screwed into the inner thread (5a) on the monocular lens (clockwise). Depending on the position of the focusing ring, this results in a viewing distance of around 25–30 cm with an identical magnification.

## CARE/CLEANING

Your LEICA MONOVID 8x20 does not require any special care. Coarse dirt particles, such as sand, should be removed with a hair pencil or blown off. Fingerprints etc. on the lens and the eyepiece lenses can be wiped off with a soft, clean leather or lint free cloth. The best way to remove spots of water on the lens and eyepiece lenses is with a cloth moistened with water.

### Caution:

When wiping heavily soiled lens surfaces, do not exert excessive force. Although the coating is highly abrasion resistant, it can be damaged by sand or salt crystals.

## SPARE PARTS

If you require any spare parts for your LEICA MONOVID 8x20, e.g. eye cups or the carrying strap, contact our Customer Care department or the Leica office in your country. The addresses are listed on the Warranty Card.

## TECHNICAL DATA

	LEICA MONOVID 8x20
<b>Magnification/with close up lens</b>	8x/8x
<b>Lens diameter</b>	20mm/ <sup>25</sup> / <sub>32</sub> "
<b>Exit pupil</b>	2.5mm/ <sup>3</sup> / <sub>32</sub> "
<b>Twilight factor</b>	12.65
<b>Field of vision</b>	110m/yds /1000m/yds 6.3°
<b>Close up limit/with close up lens</b> (at 0 dioptr.)	approx. 1.8m/6'11"/approx. 25-30cm/11"-12"
<b>Exit pupil longitudinal distance</b>	15mm/ <sup>19</sup> / <sub>32</sub> "
<b>Prism type</b>	Roof
<b>Coating on lenses</b>	High Durable Coating (HDC™) and water repellent Aqua-Dura coating on outer lenses (not on close up lens)
<b>on prisms</b>	High Lux System (HLS™) and phase correction coating P40
<b>Operating temperature</b>	-25° - +55° / -13°F - 131°F
<b>Storage temperature</b>	-40° - +70° / -40°F - 158°F
<b>Waterproofing</b>	0.3bar (approx. 3m/yds water depth)
<b>Housing material</b>	Aluminum
<b>Dimensions/with close up lens</b> (Ø x L, eye cup retracted)	approx. 35.5x97.9/105mm/ <sup>13</sup> / <sub>32</sub> " x <sup>3</sup> / <sub>32</sub> " x <sup>27</sup> / <sub>32</sub> " / <sup>4</sup> / <sub>8</sub> "
<b>Weight/with close up lens</b>	approx. 112/126g/3.9/4.4 oz.

**Note:** The technical data and the design are subject to change.

## LEICA INFORMATION SERVICE

The Leica Information Service can answer your technical questions about applications of the Leica range in writing, by telephone, by fax or by e-mail:

Leica Camera AG  
Information Service  
Postfach 1180  
D 35599 Solms  
Tel: +49 (0) 64 42-208-111  
Fax: +49 (0) 64 42-208-339  
[info@leica-camera.com](mailto:info@leica-camera.com)

## LEICA CUSTOMER CARE

Leica AG's Customer Care department or the repair service provided by Leica national offices are available to deal with maintenance of your Leica equipment or in case of damage (see address list on Warranty Card).

Leica Camera AG  
Customer Care  
Solmsner Gewerbepark 8  
D 35606 Solms  
Tel: +49 (0) 64 42-208-189  
Fax: +49 (0) 64 42-208-339  
[customer.care@leica-camera.com](mailto:customer.care@leica-camera.com)